

## BUTINOX Husvask

### Product description

#### Type

Phosphate-free, alkaline and biodegradable detergent. **BUTINOX Husvask** is used for the annual washing of outside cladding, terrace and outdoor furniture.

#### Features and benefits

Effective detergent against all types of dirt such as grease, soot, soil, moss, fungal spores and the like. Does not damage grass or plants.  
Does not attack aluminum, steel, plastic or glass within the specified dilution range and working time.

#### Recommended use

Concentrate for cleaning of interior and exterior surfaces. Recommended for annual cleaning of the house outside; especially favorable after mild winters. Should not be used on hardwood or oak, as this may cause discoloration.

### Product data

<b>Packaging size</b>	1 liter plastic bottle.
<b>pH value</b>	11 to 12 (at 100% concentration) Ca 10 (diluted with water 1:20)
<b>Ingredients</b>	<ul style="list-style-type: none"><li>- Water</li><li>- 2-(2-butoxyethoxy)ethanol</li><li>- Disodium</li><li>- Sodium carbonate</li><li>- Ethoxylated alcohols, C16-18</li><li>- Alkylglukosid</li><li>- Coco amphodipropionate, sodium salt</li></ul>

### Application data

#### Remarks

Wear gloves and goggles during use. The product is classified as irritant in concentrated form. Any spills may be rinsed off with clean water.

#### Application equipment / methods

Apply with cleaning brush, sponge or airless spray.

#### Cleaning of painting tools

Water

#### Consumption

10–15 m<sup>2</sup> / liter as pre-mixed liquid.

#### Thinner

Water.

## Directions for use

**Thinning:** Normally 1 part **BUTINOX Husvask** for 20 parts water. Extra dirty surfaces may require thinning 1:10. If the surface is less dirty, the concentrate can be thinned further to 1:50.

**Application:** On vertical surfaces the detergent should be applied from the bottom upwards. Allow the solution to work for 2-5 minutes. The solution should not dry on the surface. Very dirty surfaces may require processing with brush or sponge and possibly repeated treatments. Rinse thoroughly with water. On vertical surfaces, always start from the bottom. Windows should be kept wet at any time, to avoid stains.

**Finishing treatment:** Fouled surfaces should be disinfected with **BUTINOX Sopp- og algedreper**.

**Remarks:** After the use of airless spray., pump clean water through the injector.

## Maintenance

Wash the house with **BUTINOX Husvask** once a year. Then the house retains colour and gloss longer.

## Storage

In storage and in transport keep the container frost free and upright.

## Disposal of waste

Residues of concentrated detergent should not be discharged into the sewer, but to a local environmental station.



## Health and safety

Please observe the environmental and precautionary notices displayed on the container.

A Material Safety Data Sheet for the product has been issued.

Detailed information regarding health and safety risks and precautions for the use of this product is specified in the product's Safety Data Sheet.

First-aid measures, refer to section 4.

Handling and storage, refer to section 7.

Transport information, refer to section 14.

Regulatory information, refer to section 15.

---

## Miscellaneous

### NOBB number

This document covers the following NOBB-numbers:

25625294, 25625302, 22531149

### Contact information

Scanox AS  
P.O.Box 904 Brakerøya

### Disclaimer

The information in this document is given to the best of Scanox' knowledge, based on laboratory testing and practical experience. Scanox' products are considered as semi-finished goods and as such, products are often used under conditions beyond Scanox' control. Scanox cannot guarantee anything but the quality of the product itself. Minor product variations may be implemented in order to comply with local requirements. Scanox reserves the right to change the given data without further notice.

Users should always consult Scanox for specific guidance on the general suitability of this product for their needs and specific application practices.

If there is any inconsistency between different language issues of this document, the Norwegian (Norway) version will prevail.